

Annual Drinking Water Quality Report For January 1 - December 31, 2022

The City of Portage provides this Annual Drinking Water Quality Report for review by Portage Water System customers, pursuant to requirements of the Federal "Safe Drinking Water Act." The City of Portage welcomes the opportunity to demonstrate the excellent level of water quality delivered to Portage residents and utility customers.

Portage Water Meets or Exceeds all Federal and State Quality Requirements

The water source for the Portage utility is groundwater from the Kalamazoo-Portage and Schoolcraft aquifers. Aquifers are water bearing formations beneath the surface of the earth that consist of sand and gravel deposited by glacial activity. The city water system uses 19 groundwater wells with pumping capacities ranging from 330 to 3,700 gallons per minute. The water is treated with chlorine, fluoride and phosphate. The city closely monitors the source water and the treated drinking water to ensure that a high level of quality and safety is maintained.

To ensure that tap water is safe to drink, the Environmental Protection Agency (EPA) prescribes regulations that limit the amount of certain contaminants in water provided by public water supplies. Food & Drug Administration regulations establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States

Environmental Protection Agency Safe Drinking Water Hotline (800-426-4791) or at *http://www.epa.gov/safewater*.

Veolia, operator of the city sewer and water utilities, routinely monitors for constituents/substances in the drinking water according to federal and state laws. The results of monitoring efforts for the period of January 1 to December 31, 2022 are provided in the table at the end of this report.

All drinking water sources contain naturally occurring levels of dissolved minerals and, in some cases, radioactive material. However, the presence of these minerals in small amounts is not a concern to the health and well-being of Portage utility customers.

Substances that may be present in source water include:

- » Microbial substances, such as viruses and bacteria, which may come from septic systems, sewage treatment plants, agricultural livestock operations and wildlife.
- » Inorganic substances, such as salts and metals, can be naturally-occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming
- » Pesticides and herbicides may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- » Organic chemical substances, including synthetic and volatile organic chemicals, are by-products of industrial processes, petroleum production, gas stations, urban stormwater runoff and septic systems.
- » Radioactive substances can occur naturally or be the result of oil and gas production or mining activities.

QUESTIONS CONCERNING WATER QUALITY AND OTHER UTILITY SERVICES MAY BE DIRECTED TO THE FOLLOWING PERSONNEL:

Kendra Gwin, P.E.
Director of Transportation & Utilities
City of Portage
7719 South Westnedge Avenue
Portage, MI 49002
(269) 329-4422

Judy Graham Utility Contract Administrator City of Portage 7719 South Westnedge Avenue Portage, MI 49002 (269) 329-4424 John Rydbeck Project Manager Veolia 7701 South Westnedge Avenue Portage, MI 49002 (269) 324-9235

The Portage City Council meets twice monthly on Tuesdays at 7 PM in Council Chambers at Portage City Hall (7900 South Westnedge Avenue).

As indicated in the water monitoring results on the following pages, the city water system had no Maximum Contaminant Level (MCL) violations during 2022. Through monitoring and testing, some substances have been detected; however, the concentrations found are well below the regulatory standards and not harmful to customers.

The MCL established for each substance is set by the EPA at a very stringent level. To understand the possible health effects described for many regulated substances, a person would have to drink two liters of water containing the substance at the MCL every day for a lifetime to have a one-in-a-million chance of having the described health effect.

While Portage drinking water meets EPA standards for arsenic, it does contain low levels of arsenic. EPA standards balance the current understanding of possible health effects of arsenic against the cost of removing arsenic from drinking water. The EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

The City of Portage, to address water sources with higher arsenic levels, constructed a 5.7 million-gallon-a-day water treatment facility at the Garden Lane Well Field in 2010. The Garden Lane Water Treatment Facility removes arsenic, iron and manganese from the water and provides a dependable supply of water, meeting all EPA regulations. There are no detectable levels of lead in the City of Portage water system. If present, elevated levels of lead can cause serious health

problems, especially for pregnant women and young children.

The City of Portage water system has no known lead water service lines and is currently completing an inventory of the 15,000 water service lines. The material of approximately 6,000 water services have yet to be verified, however, they are not anticipated to contain lead. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Portage is responsible for providing high-quality drinking water but cannot control the variety of materials used in plumbing components. When water has been sitting (not running) for several hours, the potential for lead exposure can be minimized by flushing the tap for 30 seconds to 2 minutes before using the water for drinking or cooking. Water users concerned about lead in drinking water may wish to have the water tested. Additional information on lead in drinking water, testing methods and steps to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at http://water.epa.gov/drink/info/lead.

Some people may be more vulnerable to substances in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders and some elderly and infants, can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The Center for Disease Control (CDC) may be contacted at (800) 342-2437. Guidelines on appropriate means to lessen the risk of infection by microbiological substances are also available from the EPA Safe Drinking Water Hotline at (800) 426-4791.

Protecting Our Groundwater Source

The Michigan Department of Environment, Great Lakes and Energy (EGLE) performed source water assessments of all public water supplies to assess their susceptibility to contamination in 2003. The susceptibility rating, primarily based on geologic sensitivity and sources of contamination, uses a six-tiered scale from very low to very high. Based on the evaluation criteria, the assessment performed by EGLE rated the susceptibility of the ten City of Portage well sites as high. Questions regarding the Source Water Assessment may be directed to staff listed on the front page of this report.

The city has taken proactive steps to protect the groundwater, including the city's Wellhead Protection Program, Risk & Resilience Assessment, Stormwater Management Plan, Mandatory Sanitary Sewer Connection Program, Consolidated Drain Regional Stormwater Facility, and South Westnedge Avenue Stormwater Treatment Enhancement Project.

The 2015 updated **Wellhead Protection Program** helps identify sources of pollution that could potentially impact the groundwater supply. The program delineates measures that protect the groundwater from contamination. The Risk & Resilience Assessment completed in 2021 evaluates the threats, vulnerabilities, and consequences of potential hazards. Strategies, plans, procedures, and resources to improve resilience were implemented.

The **Stormwater Management Plan** is a proactive plan developed to protect city groundwater resources. The plan defines the method of stormwater disposal in relation to the proximity of well sites or groundwater use. While it may impose additional cost to developments and businesses in Portage, the plan is a valuable tool used to protect the groundwater source from surface water runoff in commercial and industrial areas.

The **Mandatory Sewer Connection Program** eliminates the use of septic tanks and drain fields for wastewater disposal, as sanitary sewer service is made available. This helps eliminate the potential for groundwater contamination due to substances in the wastewater. As a result of this important program, more than 90 percent of all Portage residents utilize the city sanitary sewer system.

The **Consolidated Drain Regional Stormwater Facility** treats stormwater runoff from nearby commercial properties by removing sediment, grit, fertilizer, and other pollutants resulting in much cleaner water being discharged to Portage Creek.

The **South Westnedge Stormwater Treatment Enhancement Project** treats stormwater runoff from South Westnedge Avenue between West Centre Avenue and Garden Lane. The project eliminated direct stormwater discharges into Portage Creek resulting in much cleaner water discharged into Portage Creek.

Water Monitoring Terms

The Water Monitoring Results shown in the tables may contain terms and abbreviations you might not be familiar with. To help you better understand these terms, the following definitions are provided:

Action Level (AL) - the concentration of a substance which, if exceeded, triggers treatment or other requirements which a water system must follow.

Detect (D) - laboratory analysis indicates the substance is present.

Maximum Contaminant Level (MCL) -the highest level of a substance that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a substance in drinking water below which there is no known or expected risk to health. MCLGs allow for an extra margin of safety.

Maximum Residual Disinfection Level (MRDL) - the highest

level of a disinfectant allowed in drinking water. There is convincing evidence that the addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfection Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Non-Detect (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/L) - one part per million corresponds to one minute in two years, or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/L) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Likely source of substance - if detected, where a substance may come from.

Per- and Polyfluoroalkyl Substances

Per- and polyfluoroalkyl substances, commonly known as PFAS, are contaminants of emerging concern. In 2020, EGLE established maximum contaminant levels (MCLs) and sampling requirements for seven PFAS compounds. PFAS are a large group of human-made chemicals that are fire resistant and

repel oil, stains, grease, and water. They have been widely used fire-fighting foams, stain repellents, nonstick cookware, waterproof clothing and shoes, fast food wrappers, personal care products and many other consumer goods. PFAS chemicals are very persistent, meaning that they do not easily break down in the environment. The sampling and test results for Portage are shown in the table below.

Per- and Polyfluoroalkyl Substances (PFAS)										
Substance	Violation Yes/No	Highest Detected Level	Range Detected	Unit of Measurement	Year Sampled	Maximum Contaminant Level Goal	Maximum Contaminant Level	Likely Source of Substance		
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	No	Non-Detect	Non-Detect	Parts per trillion	2022	N/A	370 ppt	Discharge and waste from industrial facilities utilizing the Gen X Chemical process		
Perfluorobutane Sulfonic Acid (PFBS)	No	6.2 ppt	Non-Detect to 6.2 ppt	Parts per trillion	2022	N/A	420 ppt	Discharges and waste from industrial facilities; stain-resistant treatments		
Perfluorohexane Sulfonic Acid (PFHxS)	No	4.5 ppt	Non-Detect to 4.5 ppt	Parts per trillion	2022	N/A	51 ppt	Firefighting foam; discharges and waste from industrial facilities		
Perfluorohexanoic Acid (PFHxA)	No	2.5 ppt	Non-Detect to 2.5 ppt	Parts per trillion	2022	N/A	400,000 ppt	Firefighting foam; discharges and waste from industrial facilities		
Perfluorononanoic Acid (PFNA)	No	Non-Detect	Non-Detect	Parts per trillion	2022	N/A	6 ppt	Firefighting foam; discharges and waste from industrial facilities		
Perfluorooctane Sulfonic Acid (PFOS)	No	2.1 ppt	Non-Detect to 2.1 ppt	Parts per trillion	2022	N/A	16 ppt	Firefighting foam; discharges and waste from industrial facilities		
Perfluorooctanoic Acid (PFOA)	No	Non-Detect	Non-Detect	Parts per trillion	2022	N/A	8 ppt	Discharge and waste from industrial facilities, stain-resistant treatments		

Unregulated Contaminants									
Substance	Highest Level Detected		Unit of Measurement	Year Sampled	Likely Source of Substance	Health Effects			
Sodium	83 ppm	4.6 ppm to 83 ppm	Parts per million	2022	Erosion of natural deposits present in the environment	N/A			

Annual Water Monitoring Results												
Inorganic Substances												
Substance	Violation Yes/No	Highest Level Detected	Range Detecte	tected Measureme		Year Maximu Contamir Level Go		nant	ant Contaminant		Likely Source of Substance	
Fluoride	No	0.77 ppm	Non-Detect 0.77 ppi	I al to per illilli	per million 2022		4 ppm		4 ppm		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
Nitrate (As Nitrogen)	No	2.3 ppm	Non-Detect 2.3 ppm		on	2022	2 10 ppm		10 ppm		Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
Arsenic	No	Non-Detect	Non-Dete	ct Parts per billio	on	2022 0 ppb			10 ppb		Naturally present in the environment	
Radioactive Substances												
Substance	Violation Yes/No	Highest Level Detected	Range Detecte		ent Sa	Year ampled	Maximum Contaminant Level Goal		Maximum Contaminant Level		Likely Source of Substance	
Alpha Emitters	No	2.0 pCi/L	Non-Detect t pCi/L	o 2.0 Picocuries per l	iter	2017	0 pCi/L	-	15 pCi/L		Erosion of natural deposits	
Radium 226 & 228	No	2.19 pCi/L	Non-Detect 2.19 pCi/l		iter	2020	0 pCi/L		5 pCi/L		Erosion of natural deposits	
			Disi	nfection Byp	roduc	t Mor	nitoring					
Substance	Violation Yes/No	Range Detected	Annua Averag		ent Sa	Year ampled	(Antamin		nant Contaminant		Likely Source of Substance	
Total Trihalomethane (TTHM)	No	24.6 ppb to 32.5ppb	28.6 рן	ob Parts per billio	on	2022	N/A		80 ppb		Byproduct of drinking water disinfection	
Haloacetic Acids (HAA5s)	No	7 ppb to 9 ppb	8 ppb	Parts per billio	on	2022	N/A		60 ppb		Byproduct of drinking water disinfection	
Substance	Violation Yes/No	Range Detected	Runnin Annua Averag	Measurem	ent Sa	Year ampled	Maximum Disinfection Residual Level Goal		Maximum Disinfection Residual Level		Likely Source of Substance	
Chlorine Residual	No	0.02 ppm to 1.65 ppm	0.40 ppr	n Parts per milli	on	2022	4 ppm		4 ppm		Water additive used to control microbes	
Lead and Copper Monitoring												
Substance	Violation Yes/No	Level Detected at 90th Percentile	Range Detected	Unit of Measurement	Yeai Sampl	•		Cont	Maximum ontaminant Level Goal		•	
Lead	No	0	0 ppb to 2 ppb	Parts per billion	2020		0		0.0 ppb 15		Lead service lines, corrosion of household plumbing including fittings and fixtures; Erosion of natural deposits.	
Copper*	No	0.5 ppm	0 ppm to 0.7 ppm	Parts per million	2020		0		1.3 ppm 1.3 ppm		Corrosion of household plumbing systems; Erosion of natural deposits.	

^{*}Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's Disease should consult their personal doctor.